



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu

July 14, 2026

Preliminary Precipitation and Temperature Summary
Winter 2026

Highlights

Precipitation across Nepal during the winter season (December–February) 2026 was 15.6 mm, which is only 26.1 % of the normal seasonal precipitation (59.8 mm). Both the minimum and maximum temperatures remained above normal throughout the season.

Precipitation

Terai and Hilly regions of Koshi, Madhesh and Bagmati Provinces received less than 10 mm precipitation. Gandaki, Lumbini, Karnali and Sudurpashchim provinces received the precipitation greater than 10 mm and less than 50 mm. Parts of Sudurpashchim province recorded upto 75 mm precipitation (Figure 1).




Figure 1: Total precipitation in winter 2026

Whole Nepal observed the below normal precipitation except a station in Manang District. Madhesh province, Most of Koshi, Bagmati, Lumbini Provinces, and some parts of Sudurpashchim, Karnali and Gandaki Provinces received less than 30 percent of normal precipitation. Central and western parts of the country received higher percentage of normal precipitation compared to the eastern part of the country (Figure 2).



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu




Figure 2: Percentage of normal precipitation in winter 2026




Figure 3: Number of Rainy days ($\geq 1\text{mm}$) during winter season.

Out of 122 stations over, only 94 stations recorded precipitation during winter whereas 28 stations didn't record any precipitation. Only three station namely Khudi Bazar, Lete and Lumle recorded more than 5 days of rainy days i.e. 8days, 7days and 6 days respectively. Comparatively stations in the Western region of Nepal recorded precipitation in higher number of days than central and eastern region



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu

(Figure 3).

Among all stations, Dadeldhura station in Dadeldhura district recorded the highest seasonal precipitation, with a total of 64.6 mm. Humde station recorded the highest percentage of normal precipitation at 116.1 %, making it the only station to experience above-normal precipitation during the season. All other stations recorded below-normal precipitation. The second-highest percentage of normal precipitation was observed at Dunai station, with 62.5 % of normal precipitation (Annex 1).

The temporal evolution of cumulative seasonal precipitation indicates that little to no rainfall was recorded until 23 January. Between 23 and 29 January, precipitation events contributed to the seasonal accumulation. This was followed by an extended dry period, with no significant precipitation observed until 24 February (Figure 4).




Figure 4: Cumulative average of daily normal and observed precipitation during winter 2026

This is the fourth consecutive below normal winter. The past 4 years observed the one of the lowest winter precipitations ever recorded (Figure 5).



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu




Figure 5: All Nepal monthly total precipitation of winter season from 1981 to 2026

Maximum Temperature

The spatial distribution of average maximum temperature during winter 2026 shows a clear altitudinal gradient across Nepal (Figure 6). Maximum temperature in the Terai belt remained above 21°C, with the eastern parts of Terai reaching above 24°C. The mid-hill region experienced temperatures in the range of 6°C to 27°C, while the Himalayan region recorded maximum temperatures below 21°C. The northern part of the Himalayan region recorded the maximum temperature below 6°C (Figure 6).




Figure 6: Maximum Temperature in winter 2026

Terai belt region showed the lowest range of departure of maximum temperature from -1°C to +1°C whereas hilly region of Nepal showed the positive anomaly of temperature ranging mostly from +0.2 to +2°C. Himalayan region of Nepal showed the highest positive anomaly of greater than +3°C in most parts except the Himalayan region of Bagmati and some parts of Gandaki Province. Overall, Gradient of temperature anomaly is observed from Terai to Himalayan region showing the increasing temperature anomaly (Figure 7).



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu




Figure 7: Departure from normal maximum temperature in winter season of 2026

Damak Station of Jhapa district recorded the highest average maximum temperature of 27.4°C whereas Humde station of Manang district recorded the lowest average maximum temperature of 10.0°C during the winter season among all stations (Annex 1). Similarly, the highest maximum temperature of 33.5 °C was recorded at Damak station of Jhapa district on 20th February while the lowest maximum temperature of 1.6°C was recorded at Simikot station of Humla district on 28th January. Above normal maximum temperature was observed in the 2026 winter season (Figure 8).




Figure 8: Monthly average maximum temperature anomaly of winter season from 1981 to 2026 of 65 stations (average of monthly average maximum temperature at stations having long term data)

Minimum Temperature

The minimum temperature in the Terai remained above 6°C, reaching over 9°C in most areas of Terai belt. In most parts of Himalayan region, the minimum temperature remained below 3°C and reached below -9°C in some parts (Figure 9).



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu




Figure 9: Minimum Temperature in winter 2026

Most parts of the country observed the above normal minimum temperature. Some isolated areas of the country observed the normal to below normal minimum temperature. (Figure 10). Overall, country observed the above normal minimum temperature (Figure 11).




Figure 10: Departure from normal minimum temperature in winter 2026

Dharan Bazar station of Sunsari district and Humde station of Manang district recorded the highest and



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu

lowest seasonal minimum temperatures of 13.1 °C and -7.3 °C, respectively. Similarly, the highest positive anomaly of 3.4 °C was recorded at Chainpur Bajhang station and the negative anomaly of -2.0 °C was recorded at Sindhuli Madhi station.

In the long-term context, the all-Nepal average minimum temperature for winter 2026 was above the long-term mean, continuing a general warming trend in minimum temperatures observed since 2020 (Figure 11).




Figure 11: All Nepal monthly average minimum temperature of winter from 1981 to 2026 of 61 stations (average of monthly average minimum temperature at stations having long term data)

Diurnal Temperature Range

Most parts of the country experienced a diurnal temperature range (DTR) below 18°C. However, a few stations in Bagmati, Karnali and Sudurpaschim Provinces recorded DTRs above 18°C. The DTR is the difference between the maximum and minimum temperatures during a day. The DTR values shown in the figure represent the average of daily DTRs (Figure 12).




Figure 12: Station plot of diurnal temperature range for winter, 2026



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu

Historical record break

Some stations broke the previous records of ever recorded and winter's (Dec-Feb) extremes of precipitation and temperature in this season.

Table 1: List of Stations with record-break values for temperature (°C) and Precipitation (mm) in winter 2026.

S. N.	Record Type	Station	District	Extreme value/record-break date	Previous extreme value/previous extreme date
1	Highest Max Temp	Kalaiya	Bara	31.0/02-20-2026	30.5/02-28-2021
2	Highest Max Temp	Hardinath	Dhanusa	30.5/02-18-2026	30.4/02-29-2016
3	Lowest Min Temp	Tikapur	Kailali	-3.3/01-05-2026	0.0/01-10-2013
4	Lowest Min Temp	Talcha	Mugu	-4.1/01-29-2026	0.2/12-03-2025



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu

Annex 1: Monthly precipitation and temperature data for winter 2026

S.N.	Station	Latitude	Longitude	Elevation	Precipitation			Temperature					
					Total (mm)	Normal	% of Normal	Maximum			Minimum		
								Average (°C)	Normal	DFN (°C)	Average (°C)	Normal	DFN (°C)
Koshi Province													
1	Biratnagar Airport	26.48	87.27	72	0	26.9	0	25.1	24.7	0.4	10.9	10.5	0.4
2	Chainpur East	27.29	87.32	1277	45.7	114.3*	40	20.8	19.5*	1.3	4.6	5*	-0.4
3	Chandragadi Airport	26.57	88.08	95	0	4*	0	25.9	25.1*	0.8	11.7	11.7*	0.0
4	Chatara	26.82	87.16	105	1.5	30.5	4.9	26.8	26.2*	0.6	12.1	11.3*	0.8
5	Damak	26.67	87.70	119	0	30.2	0	27.4	25.7*	1.7	10.7	10.4*	0.3
6	Dhankuta	26.98	87.35	1192	1.53	33.5	4.6	22.9	19.8	3.1	9.2	8.2	1.0
7	Dharan Bazar	26.79	87.30	310	0	28.6	0	24.9	24.6*	0.3	13.1	12.9*	0.2
8	Diktel	27.21	86.79	1612	0.02	34.8	0.1	18.6	17.5*	1.1	8.5	7.7*	0.8
9	Gaida Kankai	26.66	87.86	107	0	29	0	25.8	25.7	0.1	11.6	9.7	1.9
10	Ilam Tea Estate	26.91	87.92	1208	0.1	31.9	0.3	19.9	18.3*	1.6	11.5	9.6*	1.9
11	Kanyam Tea Estate	26.87	88.08	1570	3	44	6.8	21.6	15.4	6.2	8.5	5.2	3.3
12	Kechana	26.40	88.00	71	0	17.4*	0	25.3	25.2*	0.1	10.8	10.9*	-0.1
13	Khadbari	27.39	87.20	1064	5.43	31*	17.5	22.0	19.5*	2.5	10.9	10.1*	0.8
14	Lukla Airport	27.69	86.73	2786	5.21	33*	15.8	11.6	9.4*	2.2	-0.6	-1.7*	1.1
15	Num	27.56	87.29	1494	51.01	110.9*	46	18.3	17.4*	0.9	7.5	6.9*	0.6
16	Okhaldhunga	27.31	86.50	1731	11.02	35.1	31.4	18.3	17.1	1.2	6.9	6.4	0.5
17	Pakhribas	27.05	87.29	1720	6.41	38.1	16.8	17.0	15.9	1.1	7.3	6.1	1.2
18	Phidim Panchther	27.14	87.77	1157	0	35.8	0	23.2	21.5	1.7	8.5	8	0.5
19	Taplejung	27.36	87.67	1744	31.81	52.3	60.8	17.5	15.8	1.7	6.8	5.3	1.5
20	Tarahara	26.70	87.28	120	3.6	32.7	11	25.7	24.4	1.3	10.7	9.8	0.9
21	Terhathum	27.12	87.54	1525	1.11	41	2.7	21.6	18.8	2.8	7.9	6.3	1.6
22	Tumlingtar	27.30	87.20	477	1.13	19.4	5.8	25.7	24.7*	1.0	10.3	10.5*	-0.2
23	Udayapur Gadhi	26.91	86.54	469	0	30.3	0	23.6	23.2*	0.4	10.4	11*	-0.6
Madhesh Province													
1	Birganj	27.02	84.88	67	9.71	30.2*	32.2	24.1	24.1*	0.0	11.9	11.2*	0.7
2	Gaur	26.77	85.31	77	0	26.5	0	22.9	21.8	1.1	11.4	9.7	1.7
3	Hardinath	26.80	85.98	93	0.2	21*	1	23.1	23.1*	0.0	11.2	11.1*	0.1
4	Jalesor	26.65	85.81	68	0	10.5	0	23.7	23.9	-0.2	11.4	11.1	0.3
5	Janakpur Airport	26.71	85.92	76	0	23.2	0	24.5	24.3	0.2	10.8	10.7	0.1
6	Kalaiya	27.04	85.00	100	0	35.4	0	24.1	23.2*	0.9	11.3	11.5*	-0.2
7	Karmaiya	27.13	85.48	139	0	25	0	24.6	24.3	0.3	12.7	12.6	0.1
8	Lahan	26.73	86.48	110	0	31.1*	0	26.6	24.1*	2.5	11.1	11.2*	-0.1
9	Manusmara	26.93	85.45	90	0	26.9	0	22.8	23.8	-1.0	10.7	9.8	0.9
10	Parwanipur	27.08	84.93	87	0.01	33.6	0	23.2	23.6	-0.4	11.0	10	1.0
11	Phatampur	26.74	86.93	83	0	31.7	0	26.2	26.5	-0.3	11.3	10.4*	0.9
12	Rajbiraj	26.54	86.74	68	0	28.2	0	24.4	24.7	-0.3	12.4	11.2	1.2
13	Simara Airport	27.16	84.98	137	0.01	37.5	0	23.6	23.8	-0.2	10.4	9	1.4
14	Siraha	26.66	86.21	63	0	25.8	0	24.6	24.2*	0.4	11.8	8.5*	3.3
Bagamati Province													
1	Bahrabise	27.79	85.90	884		55.2			22.8*			6.7*	
2	Bhaktapur	27.68	85.42	1315	2.5	47.8	5.2	22.6	20.9*	1.7	5.5	3.1*	2.4
3	Bharatpur	27.68	84.43	216	1.53	49.3*	3.1		24.2*		11.7	10.8*	0.9
4	Buddhanilakantha	27.76	85.35	1378	4.9	41.5*	11.8	20.1	18.8*	1.3		4.8*	
5	Changu Narayan	27.72	85.43	1502	3.42	46.9	7.3	22.8	19.7*	3.1	6.3	6.1*	0.2
6	Charikot	27.67	86.05	1940	12.6	46.3	27.2	15.0	16.6*	-1.6	3.5	3.6*	-0.1
7	Chautara	27.75	85.73	1552	3.4	41.7	8.2	20.7	19.7*	1.0	6.4	6.5*	-0.1
8	Daman	27.60	85.09	2265	3.4	59.1*	5.8	15.3	13.9*	1.4	3.0	2.1*	0.9



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu

S.N	Station	Latitude	Longitude	Elevation	Precipitation			Temperature					
					Total (mm)	Normal	% of Normal	Maximum			Minimum		
								Average (°C)	Normal	DFN (°C)	Average (°C)	Normal	DFN (°C)
9	Dhulikhel	27.62	85.57	1543	8.0	48.1	16.6	19.4	15.9	3.5	5.6	4.7	0.9
10	Dhunchhe	28.11	85.30	1993	7.7	98.2*	7.9	14.9	14.5*	0.4	3.6	3.8*	-0.2
11	Dhumibesi	27.72	85.16	991	14.3	51.7	27.7	22.4	20	2.4	9.4	9.1	0.3
12	Godavari	27.59	85.38	1527	21.5	56	38.4	19.3	17.4	1.9	3.5	3.9	-0.4
13	Hetauda N F I	27.42	85.03	452	0.0	47.6	0	24.8	23.7	1.1	9.2	8.5	0.7
14	Jiri	27.63	86.23	1877	26.5	50.8	52.2	16.6	15.5	1.1	0.8	-0.5	1.3
15	Kabre	27.63	86.13	1755	4.6	28.6*	16.1	20.2	17.8*	2.4	4.7	4.9*	-0.2
16	Kakani	27.81	85.27	2030	9.8	60.6	16.2	15.9	15	0.9	4.3	5.1	-0.8
17	Kathmandu Airport	27.70	85.36	1337	2.2	46.6	4.8	18.8	20.5	-1.7	6.0	4.1	1.9
18	Khokana	27.64	85.30	1309	2.2	53.5	4.1	21.0	19.7*	1.3	2.8	2*	0.8
19	Khumaltar	27.65	85.33	1334	7.3	45.4	16.1	21.1	19.3	1.8	5.2	3.2	2.0
20	Manthali	27.39	86.06	497	0.0	31.8	0	26.5	25.4*	1.1	8.6	8.9*	-0.3
21	Nagarkot	27.69	85.52	2147	8.1	48.9	16.6	15.0	14.2	0.8	4.8	3.9	0.9
22	Nuwakot	27.91	85.16	966	15.9	51.1	31.1	21.9	22	-0.1	9.9	9.5	0.4
23	Panchkhal	27.65	85.62	857	6.8	36.1	18.8	23.8	22.6	1.2	6.8	5.5	1.3
24	Rampur	27.65	84.35	189	2.0	46.1	4.3	24.4	24.1	0.3		8.9	
25	Sindhuli Madhi	27.22	85.92	556	0.5	37.7*	1.3	24.9	23.7*	1.2	6.6	8.6*	-2.0
Gandaki Province													
1	Baglung	28.26	83.60	964	6.4	66.7	9.6	24.7	22.2*	2.5	8.2	7.3	0.9
2	Bandipur	27.94	84.41	991	26.2	59.4	44.1	21.6	19.8*	1.8	8.2	7.8*	0.4
3	Chapakot	27.90	83.85	617	26.3	68.8	38.2	22.5	22.4	0.1	9.1	9.1	0.0
4	Damauli	27.97	84.27	347	5.0	60.5	8.3	22.9	22.4*	0.5	12.0	10.1*	1.9
5	Dumkauli	27.68	84.23	183	9.0	53.4	16.9	23.7	24.2	-0.5	11.2	10.4	0.8
6	Gorkha Birechowk	27.97	84.59	724	3.6	57.5	6.3	20.4	20.8	-0.4	9.6	9.1	0.5
7	Humde	28.64	84.09	3401	28.9	24.9*	116.1	10.0	8.2*	1.8	-7.3	-7.7*	0.4
8	Jomsom	28.78	83.73	2741	7.0	41	17	14.1	11.5	2.6	-0.1	-1.2	1.1
9	Khairini Tar	28.03	84.09	515	7.8	64.1	12.2	23.2	22.7	0.5	10.5	9.6	0.9
10	Khudi Bazar	28.28	84.36	838	53.0	91.1	58.2	22.3	22	0.3	7.4	8.1*	-0.7
11	Kushma	28.22	83.68	900	35.0	71.3	49.1	22.6	22.8	-0.2	7.1	7.6	-0.5
12	Lete	28.63	83.61	2490	62.3	120.2	51.8	14.0	12.1*	1.9	1.4	-0.1*	1.5
13	Lumle	28.30	83.82	1738	27.5	101.7	27.1	16.3	15	1.3	6.3	5.8	0.5
14	Malepatan Pokhara	28.22	83.97	859	18.0	74.2	24.3	21.4	20.9	0.5	7.5	7.4	0.1
15	Pokhara Airport	28.20	83.98	827	19.2	68.3	28.1	21.2	21.2	0.0	9.5	8.4	1.1
16	Syangja	28.10	83.87	871	31.9	64.8	49.3	21.8	21.2	0.6	8.1	7.3	0.8
17	Thakmarpha	28.74	83.68	2655	14.1	42.9	32.9	14.7	12.4	2.3	-1.8	-1.5	-0.3
Lumbini Province													
1	Bhairahawa Agric	27.53	83.46	112	4.3	55.9	7.7	22.7	23.4	-0.7	10.4	9.9	0.5
2	Bhairahawa Airport	27.51	83.42	108	5.9	56.8	10.3	23.5	23.1	0.4	10.8	9.9	0.9
3	Bijuwar Tar	28.10	82.85	835	15.3	67.3	22.7	25.0	23.6*	1.4	7.9	7.5*	0.4
4	Ghorai Dang	28.04	82.48	663	11.5	52.3	22	23.0	22.3	0.7	8.8	7.2	1.6
5	Gulariya	28.21	81.35	126	23.8	58.9	40.4	22.4	22.2*	0.2	7.6	9.1*	-1.5
6	Khajura Nepalganj	28.11	81.59	129	19.0	59.8	31.8	22.5	23	-0.5	9.5	8.8	0.7
7	Khanchikot	27.92	83.13	1801	28.5	89.4	31.9	17.9	15.4	2.5	7.2	6.6	0.6
8	Libang Gaun	28.31	82.63	1314	30.7	96.8	31.7	21.4	20.3*	1.1	5.5	4.9*	0.6
9	Lumbini	27.47	83.28	95	4.0	43.7	9.2	22.8	22.3*	0.5	10.2	9.6*	0.6
10	Nepalgunj Airport	28.10	81.67	165	16.4	53.6	30.6	22.3	22.9	-0.6	10.5	9.1	1.4
11	Nepalgunj Reg Off	28.05	81.62	141	29.0	57.9	50.1	23.0	22.6	0.4	9.9	10.5	-0.6
12	Parasi	27.52	83.66	112	6.0	47.7	12.60	22.9	23.5*	-0.6	10.2	9.6*	0.6
13	Semari	27.47	83.79	110	5.5	55.7	9.9	22.8	22.7	0.1	10.2	9.2	1.0
14	Tamghas	28.06	83.24	1547	21.4	81.1	26.4	17	16.5	0.6	6.4	5.5	0.93
15	Tansen	27.86	83.54	1183	4.81	78.4*	6.1	21	20.4*	0.79	9.7	7.7	2.04
16	Taulihawa	27.57	83.07	106	7.81	48	16.3	22	23.2	-1	11	10.1*	0.47



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu

S.N	Station	Latitude	Longitude	Elevation	Precipitation			Temperature					
					Total (mm)	Normal	% of Normal	Maximum			Minimum		
								Average (°C)	Normal	DFN (°C)	Average (°C)	Normal	DFN (°C)
Karnali Province													
1	Chaurjhari Tar	28.65	82.21	863	26.5	71.6	37	22	21.3	1.11	6.6	6.6	0.04
2	Dailekh	28.84	81.71	1394	28.6	96.2	29.7	19	18.1	0.92	8.7	6.6	2.05
3	Dipal Gaun	29.26	82.22	2422	23.21	87.1	26.6	19	15.6	3.88	-4.4	-3.8	-0.62
4	Dunai	28.95	82.90	2098	18.3	29.3	62.5		13.4*			-0.2*	
5	Gamadi Shree Nagar	29.55	82.15	2113	19.5	115.4	16.9	18	16.6*	1.15	3.5	3.3*	0.18
6	Jajarkot_AWS	28.70	82.20	1240	22	87.3	25.2	20	21.6*	-1.6	6.2	7.1*	-0.93
7	Jumla	29.27	82.18	2363	20.3	91.3	22.2	18	15.2	2.94	-3.8	-4	0.2
8	Jumla Airport	29.27	82.19	2384	20.3	86.5*	23.5	17	15*	2.37	-4.7	-4.5*	-0.23
9	Manma	29.15	81.61	1729	39.71	139.2*	28.5	19	17.1*	1.91	6.3	4.8*	1.47
10	Mehalkuna	28.42	81.84	464	21.4	55.5*	38.6	24	23.7*	0.72	8.4	7.6*	0.83
11	Musikot Rukum Wes	28.62	82.46	1412	36.31	83.7	43.4	20	19.4	0.96	7.3	5.6	1.7
12	Nagma	29.20	81.91	2017	35.91	131.9	27.2	18	16.9*	1.08	0.9	0.4*	0.48
13	Pusma Camp	28.88	81.23	953	24.8	109	22.8	19	18.8	0.12	7.6	8.8	-1.17
14	Rara	29.54	82.08	2989	32.8	93.7*	35	13	9.9*	3.13	-3.1	-3.8*	0.74
15	Salyan Bazar	28.38	82.14	1557	25.4	84.4	30.1	23	20.2	2.44	7.6	7.3	0.34
16	Simikot	29.97	81.82	2993	39.4	89.2*	44.2	13	9.6*	3.39	-1.7	-4.5*	2.77
17	Surkhet Airport Bire	28.59	81.64	720	32.31	100.5	32.1	23	22	0.94	6.9	6.5	0.39
18	Talcha	29.52	82.15	2750	24.3	57.4*	42.3	15	12.1*	2.76	0.7	*	
Sudurpaschim Province													
1	Baitadi Gothalapani	29.56	80.41	1352	45.5	120	37.9		19.3*		5.6	4.7*	0.95
2	Bajura Martadi	29.46	81.48	1598	51.0	152.4	33.5	19	17.6*	1.39	6.3	4.2*	2.07
3	Chainpur Bajhang ne	29.55	81.20	1405	18.9	35.2	53.8	21	19.5	1.3	11	7.7	3.44
4	Chisapani Karnali	28.65	81.29	201	22.4	79.1	28.3	22	21.5	0.54	12	11.8	0.32
5	Dadeldhura	29.30	80.59	1879	64.6	129	50.1	18	15.9	1.9	5.8	4.7	1.09
6	Darchula New	29.84	80.55	945	51.4	115.3*	44.6	23	21.5*	1.04	6.7	6.8*	-0.11
7	Dhangadhi Attariya	28.81	80.56	184	19.5	70.3	27.8	22	22.7	-0.2	10	8.6	1.68
8	Dipayal Doti	29.26	80.94	563	31.9	107.8	29.6	25	23.9	0.72	6.2	6.3	-0.08
9	Godavari West	28.88	80.58	280	28.0	88.5	31.6	23	22.7	0.18	11	11.3	-0.77
10	Mahendra Nagar	28.95	80.23	197	27.4	88	31.1	23	22.5	0.16	9.4	8.4	0.96
11	Mangalsen	29.14	81.25	1310	36.9	147.4	25.0	16	19.3*	-3.1	6.3	5.7*	0.62
12	Patan new	29.47	80.55	1292	59.0	104*	56.7	21	18.4*	2.84	5.3	4.8*	0.48
13	Tikapur	28.54	81.12	149	14.9	87.3	17.1	22	22.7	-0.6	7.2	8.2	-1.05

Note:

- “mm” = millimeter; “temp” = temperature; “blank space” = Data Not Available; “NR” = No Precipitation.
- This summary is prepared based on the precipitation and temperature received at 126 meteorological stations during winter, 2026. Out of 126 stations, 104 stations have normal precipitation data, 65 stations have normal maximum and 65 stations have normal minimum temperature data. Normal precipitation/temperature is the average of the monthly precipitation/temperature for the period of 1991-2020.
- Less than 90% of normal precipitation is considered as below normal, 90 to 110% is considered as near normal, and more than 110% of normal precipitation is considered as above normal precipitation for the month.

Please report any errors or inaccuracies in this document to climateupdates.dhm@gmail.com or contact us by phone at **015319007**.