



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu

August 08, 2026

Preliminary Precipitation and Temperature Summary
Pre-monsoon 2026

Highlights

Precipitation across Nepal during the Pre-monsoon season (March-May) 2026 was 329.3 mm, which is 145.0 % of the normal seasonal precipitation (227.1 mm). Maximum temperature remained below normal whereas the minimum temperature was observed above normal.

Precipitation

A clear east-west precipitation gradient was observed across Nepal, with the eastern part recording higher rainfall than the west. Koshi, Madhesh, and Bagmati Provinces, most of Gandaki Province, and parts of Lumbini, Karnali, and Sudurpashchim Provinces recorded precipitation exceeding 200 mm, while most of Bagmati and Koshi Provinces exceeded 300 mm. Some parts of Koshi Province, a few isolated pockets in Bagmati, and parts of Gandaki Province recorded more than 500 mm, and few parts of Sankhuwasabha district in Koshi Province recorded over 1000 mm. All parts of the country recorded at least 100 mm of precipitation except a station in Mustang district (Figure 1).




Figure 1: Total precipitation in Pre-monsoon 2026

Nearly all of Nepal saw above-normal precipitation. A few northern parts of Sudurpashchim and northwestern parts of Karnali Provinces recorded less than 90% of normal, while most of the country fell in the 125-200% of normal range, and only a few isolated pockets exceeded 200% of normal (Figure 2).



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu




Figure 2: Percentage of normal precipitation in Pre-monsoon 2026




Figure 3: Number of Rainy days (≥ 1 mm) during Pre-monsoon season

Every station in Nepal recorded precipitation during the pre-monsoon 2026 season. Taplejung station in Taplejung district and Num station in Sankhuwasabha district saw rain on more than 50 days i.e., 61 and 59 days respectively. Stations in Gandaki, Bagmati, and Koshi Provinces generally recorded precipitation on more days, while the Terai region saw fewer rainy days (Figure 3). Dhangadhi



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu

(Attariya), Khajura (Nepalgunj), Nepalgunj Airport, Bhaktapur, and Bahrabise recorded the fewest, at 11, 11, 11, 7, and 2 days respectively.

Num station in Sankhuwasabha district recorded the highest seasonal precipitation among all stations, 1306.5 mm, while Jomsom station in Mustang district recorded the lowest, 87.94 mm. Gaida Kankai station in Jhapa district recorded the highest single-day precipitation of the season, 179.2 mm on 13th March, the highest daily total recorded at any station over Nepal during pre-monsoon. In terms of normal precipitation, Dunai station recorded the highest, 322.5% of normal, followed by Lumbini station in Rupandehi district at 304.8%, these were the only two stations to exceed 300% of normal. Simikot station in Humla district recorded the lowest, 72.4% of normal (Annex 1).

The temporal plot of cumulative precipitation shows that from around 12th March, accumulated observed precipitation crossed the normal accumulated line and stayed above it for the rest of the season. The heaviest accumulation occurred toward the end of April and first week of May (Figure 4).




Figure 4: Cumulative average of daily normal and observed precipitation during Pre-monsoon 2026

This year recorded the highest pre-monsoon precipitation ever recorded since 1981 (Figure 5). This year, a positive anomaly of 48% was recorded and second highest positive anomaly of 44.4% was recorded in 1990.



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu




Figure 5: All Nepal seasonal total precipitation of Pre-monsoon season from 1981 to 2026

Maximum Temperature

The spatial distribution of average maximum temperature during Pre-monsoon 2026 shows a clear altitudinal gradient across Nepal (Figure 6). Maximum temperature in the Terai belt remained above 30°C, with the western parts of Terai reaching above 33°C. The mid-hill region experienced temperatures in the range of 6°C to 33°C, while the Himalayan region recorded maximum temperatures below 24°C. The northern part of the Himalayan region recorded the maximum temperature below 6°C (Figure 6).




Figure 6: Maximum Temperature in Pre-monsoon 2026

Most parts of Sudurpashchim and Karnali Provinces, along with some western parts of Gandaki Province, recorded normal to above-normal maximum temperature, while the rest of the country saw below-normal maximum temperature (Figure 7).



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu




Figure 7: Departure from normal maximum temperature in Pre-monsoon season of 2026

Nepalgunj Regional Office Station of Banke district recorded the highest average maximum temperature of 35.3°C whereas Humde station of Manang district recorded the lowest average maximum temperature of 13.8°C during the Pre-monsoon season among all stations (Annex 1). Similarly, the highest maximum temperature of 42.0°C was recorded at Khajura Nepalgunj station of Banke district on 21st May while the lowest maximum temperature of 4.0°C was recorded at Humde station of Manang district on 8th April. Below normal maximum temperature was observed in the 2026 Pre-monsoon season (Figure 8).




Figure 8: Seasonal average maximum temperature anomaly of Pre-monsoon season from 1981 to 2026 of 65 stations (average of seasonal average maximum temperature at stations having long term data)

Minimum Temperature

Minimum temperature in the Terai stayed above 18°C, reaching over 21°C in some areas of the Terai belt. In most of the Hilly region, minimum temperature stayed below 21°C and dropped to 3°C in some areas, while in the Himalayan region it remained below 12°C (Figure 9).



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu




Figure 9: Minimum Temperature in Pre-monsoon 2026

Most parts of the country observed the above normal minimum temperature. Some isolated areas of the country, especially northern parts of the country recorded the normal to below normal minimum temperature (Figure 10). Overall, the country recorded the above normal minimum temperature (Figure 11).




Figure 10: Departure from normal minimum temperature in Pre-monsoon 2026



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu

Birgunj station of Parsa district and Humde station of Manang district recorded the highest and lowest seasonal average minimum temperatures of 22.1°C and 0.0°C, respectively. Similarly, the highest positive anomaly of 3.1°C was recorded at Damauli station of Tanahun district and the negative anomaly of -1.8°C was recorded at Pusma Camp station of Surkhet district. The warmest night (daily extreme) reached 29.6°C at Bhairahawa Agricultural Station in Rupandehi on 19th May whereas the coldest night dropped to -8.5°C at Humde station of Manang district on 17th March.

In the long-term context, the all-Nepal average minimum temperature for Pre-monsoon 2026 was above the long-term mean, continuing a general warming trend in minimum temperatures observed since 2024 (Figure 11).




Figure 11: All Nepal seasonal average minimum temperature of Pre-monsoon from 1981 to 2026 of 65 stations (average of seasonal average minimum temperature at stations having long-term data)

Diurnal Temperature Range

All stations showed the diurnal temperature range below 20°C except for the Bahrabise station of




Figure 12: Station plot of diurnal temperature range for Pre-monsoon, 2026



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu

Sindhupalchok district recorded the highest diurnal temperature range of 23.15°C. Similarly, the lowest diurnal temperature range of 7.22°C was recorded in Illam Tea Estate station of Illam district.

Historical record break

Some stations broke the previous records of ever recorded and Pre-monsoon's (March-May) extremes of precipitation and temperature in this season.

Table 1: List of Stations with record-break values for temperature (°C) and Precipitation (mm) in Pre-monsoon 2026.

S. N.	Record Type	Station	District	Extreme value/record-break date	Previous extreme value/previous extreme date
1	Highest Max Temp	Mangalsen	Achham	39.0/05-26-2026	37.5/03-25-2014
2	Highest Max Temp	Talcha	Mugu	26.8/05-21-2026	25.6/05-27-2024
3	Highest Max Temp	Khanchikot	Arghakhanchi	37.6/04-02-2026	30.5/05-28-2005
4	Lowest Max Temp	Damauli	Tanahun	20.0/03-21-2026	20.5/03-13-2007
5	Lowest Max Temp	Charikot	Dolakha	9.0/03-21-2026	10.4/03-20-2024
6	Lowest Max Temp	Hardinath	Dhanusa	20.0/03-21-2026	20.5/03-02-2015
7	Lowest Max Temp	Okhaldhunga	Okhaldhunga	11.5/03-21-2026	11.8/03-11-2006
8	Lowest Max Temp	Tumlingtar	Sankhuwasabha	20.0/03-21-2026	21.1/03-21-2024
9	Highest Min Temp	Diktel	Khotang	21.0/05-21-2026	20.5/05-12-2014
10	Highest Precipitation	Baglung	Baglung	124.4/05-26-2026	115.2/05-23-2019
11	Highest Precipitation	Pakhribas	Dhankuta	103.6/05-29-2026	80.0/04-23-2000
12	Highest Precipitation	Kechana	Jhapa	172.9/05-21-2026	145.7/05-19-2010



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu

Annex 1: Seasonal precipitation and temperature data for pre-monsoon 2026

S.N.	Station	Latitude	Longitude	Elevation	Precipitation			Temperature					
					Total (mm)	Normal	% of Normal	Maximum			Minimum		
								Average (°C)	Normal	DFN (°C)	Average (°C)	Normal	DFN (°C)
Koshi Province													
1	Biratnagar Airport	26.48	87.27	72	373.11	251.1	148.6	31.2	32.9	-1.7	10.9	10.5	0.4
2	Chainpur East	27.29	87.32	1277	142.44	189.1*	75.3	26.8	27.3*	-0.5	4.6	5*	-0.1
3	Chandragadi Airport	26.57	88.08	95	485.07	398.7*	121.7	30.4	32.1*	-1.7	11.7	11.7*	0.0
4	Chatara	26.82	87.16	105	611.28	289.6	211.1	32.1	33.5*	-1.4	12.1	11.3*	0.8
5	Damak	26.67	87.70	119	388.05	284.5	136.4	32.7	32.7*	0.0	10.7	10.4*	0.3
6	Dhankuta	26.98	87.35	1192	261.74	193.5	135.3	26.2	26	0.2	9.2	8.2	1.0
7	Dharan Bazar	26.79	87.30	310	461.32	263.7	174.9	30.8	32.1*	-1.3	13.1	12.9*	0.2
8	Diktel	27.21	86.79	1612	334.07	283.4	117.9	22.7	24.2*	-1.5	8.5	7.7*	0.8
9	Gaida Kankai	26.66	87.86	107	668.33	286.6	233.2	31.0	32.7	-1.7	11.6	9.7	1.9
10	Ilam Tea Estate	26.91	87.92	1208	298.75	211.1	141.5	23.1	24.8*	-1.7	11.5	9.6*	1.9
11	Kanyam Tea Estate	26.87	88.08	1570	568.4	332.3	171.1	23.7	21.9	1.8	8.5	5.2	3.3
12	Kechana	26.40	88.00	71	754.84	321.1*	235.1	30.2	32.4*	-2.2	10.8	10.9*	-0.1
13	Khadbari	27.39	87.20	1064	436.27	271.2*	160.9	26.3	27.3*	-1.0	10.9	10.1*	0.8
14	Lukla Airport	27.69	86.73	2786	255.48	231.6*	110.3	14.8	15.5*	-0.7	-0.6	-1.7*	1.1
15	Num	27.56	87.29	1494	1306.51	1025.4	127.4	22.9	24.1*	-1.2	7.5	6.9*	0.6
16	Okhaldhunga	27.31	86.50	1731	262.48	245.9	106.7	23.2	23.9	-0.7	6.9	6.4	0.5
17	Pakhribas	27.05	87.29	1720	358.04	249.9	143.3	21.3	23	-1.7	7.3	6.1	1.2
18	Phidim Panchther	27.14	87.77	1157	394.06	243.3	162	28.1	28.1	0.0	8.5	8	0.5
19	Taplejung	27.36	87.67	1744	608.24	423.3	143.7	21.8	22.5	-0.7	6.8	5.3	1.5
20	Tarahara	26.70	87.28	120	486.55	277.5	175.3	31.2	32.2	-1.0	10.7	9.8	0.9
21	Terhathum	27.12	87.54	1525	254.37	249.8	101.8	25.1	24.4	0.7	7.9	6.3	1.6
22	Tumlingtar	27.30	87.20	477	435.23	280.2	155.3	30.8	32.4*	-1.6	10.3	10.5*	-0.2
23	Udayapur Gadhi	26.91	86.54	469	400.33	215.1	186.1	30.0	31.2*	-1.2	10.4	11*	-0.6
Madhesh Province													
1	Birganj	27.02	84.88	67	241.35	170.7	141.4	34.2	35*	-0.8	11.9	11.2*	0.7
2	Gaur	26.77	85.31	77	211.5	157.3	134.5	34.2	32.2	2.0	11.4	9.7	1.7
3	Hardinath	26.80	85.98	93	220	187.4*	117.4	32.1	33.1*	-1.0	11.2	11.1*	0.1
4	Jalesor	26.65	85.81	68	207.1	132.7	156.1	33.0	34	-1.0	11.4	11.1	0.3
5	Janakpur Airport	26.71	85.92	76	256.03	191.5	133.7	32.7	33.8	-1.1	10.8	10.7	0.1
6	Kalaia	27.04	85.00	100	231.64	173.2	133.7	33.1	34.1*	-1.0	11.3	11.5*	-0.2
7	Karmaiya	27.13	85.48	139	366.93	192.3	190.8	32.5	34.2	-1.7	12.7	12.6	0.1
8	Lahan	26.73	86.48	110	315.21	175.1	180	33.7	32.9*	0.8	11.1	11.2*	-0.1
9	Manusmara	26.93	85.45	90	245.42	164.4	149.3	32.1	33.9	-1.8	10.7	9.8	0.9
10	Parwanipur	27.08	84.93	87	287.36	173.2	165.9	32.5	34	-1.5	11.0	10	1.0
11	Phattepur	26.74	86.93	83	436	244	178.7	31.7	34	-2.3	11.3	10.4*	0.9
12	Rajbiraj	26.54	86.74	68	404.2	198.5	203.6	31.5	33.5	-2.0	12.4	11.2	1.2
13	Simara Airport	27.16	84.98	137	225.51	194.6	115.9	32.7	33.8	-1.1	10.4	9	1.4
14	Siraha	26.66	86.21	63	276.9	187.6	147.6	33.1	34.3*	-1.2	11.8	8.5*	3.3
Bagamati Province													
1	Bahrabise	27.79	85.90	884	/	340.8	/	/	30.9*	/	/	6.7*	/
2	Bhaktapur	27.68	85.42	1315	/	220.7	/	/	27.8*	/	5.5	3.1*	2.4
3	Bharatpur	27.68	84.43	216	619.03	316.4*	195.6	32.2	34.2*	-2.0	11.7	10.8*	0.9
4	Buddhanilakantha	27.76	85.35	1378	276.34	285.7*	96.7	25.6	25.9*	-0.3	/	4.8*	/
5	Changu Narayan	27.72	85.43	1502	412.94	259.9	158.9	27.5	26.7*	0.8	6.3	6.1*	0.2
6	Charikot	27.67	86.05	1940	514.98	279	184.6	19.5	23*	-3.5	3.5	3.6*	-0.1
7	Chautara	27.75	85.73	1552	320.15	223.9	143	27.5	28.1*	-0.6	6.4	6.5*	-0.1
8	Daman	27.60	85.09	2265	368.5	310.6*	118.6	19.4	19.5*	-0.1	3.0	2.1*	0.9



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
Babarmahal, Kathmandu

S.N	Station	Latitude	Longitude	Elevation	Precipitation			Temperature					
					Total (mm)	Normal	% of Normal	Maximum			Minimum		
								Average (°C)	Normal	DFN (°C)	Average (°C)	Normal	DFN (°C)
9	Dhulikhel	27.62	85.57	1543	294.0	216.4	135.8	24.6	24.5	0.1	5.6	4.7	0.9
10	Dhunchhe	28.11	85.30	1993	314.4	202.7	155.1	20.7	21.7*	-1.0	3.6	3.8*	-0.2
11	Dhumibesi	27.72	85.16	991	303.0	202.2	149.9	29.1	29.7	-0.6	9.4	9.1	0.3
12	Godavari	27.59	85.38	1527	295.8	222.3	133.1	24.3	24.9	-0.6	3.5	3.9	-0.4
13	Hetauda N F I	27.42	85.03	452	365.7	289.3	126.4	31.4	32.8	-1.4	9.2	8.5	0.7
14	Jiri	27.63	86.23	1877	373.4	328.5	113.7	21.6	21.9	-0.3	0.8	-0.5	1.3
15	Kabre	27.63	86.13	1755	267.9	226.8*	118.1	24.5	24.7*	-0.2	4.7	4.9*	-0.2
16	Kakani	27.81	85.27	2030	423.0	337.1	125.5	19.7	22	-2.3	4.3	5.1	-0.8
17	Kathmandu Airport	27.70	85.36	1337	250.2	230	108.8	26.0	27.9	-1.9	6.0	4.1	1.9
18	Khokana	27.64	85.30	1309	266.2	214.6	124	25.9	26.7*	-0.8	2.8	2*	0.8
19	Khumaltar	27.65	85.33	1334	263.6	200.1	131.7	26.4	26.5	-0.1	5.2	3.2	2.0
20	Manthali	27.39	86.06	497	187.0	149	125.5	33.7	33.6*	0.1	8.6	8.9*	-0.3
21	Nagarkot	27.69	85.52	2147	266.2	255	104.4	20.0	21.5	-1.5	4.8	3.9	0.9
22	Nuwakot	27.91	85.16	966	336.0	209.6	160.3	28.3	30.1	-1.8	9.9	9.5	0.4
23	Panchkhal	27.65	85.62	857	220.8	151.9	145.4	29.8	30.3	-0.5	6.8	5.5	1.3
24	Rampur	27.65	84.35	189	553.9	271.4	204.1	32.7	34.2	-1.5	/	8.9	/
25	Sindhuli Madhi	27.22	85.92	556	659.7	327.3	201.6	30.7	31.2*	-0.5	6.6	8.6*	-2.0
Gandaki Province													
1	Baglung	28.26	83.60	964	364.2	238.6	152.6	30.7	29.9*	0.8	8.2	7.3	0.9
2	Bandipur	27.94	84.41	991	491.5	288	170.7	26.6	27.9*	-1.3	8.2	7.8*	0.4
3	Chapakot	27.90	83.85	617	228.1	269	84.8	31.3	31.8	-0.5	9.1	9.1	0.0
4	Damauli	27.97	84.27	347	596.7	356	167.6	31.4	32.9*	-1.5	12.0	10.1*	1.9
5	Dumkauli	27.68	84.23	183	488.0	297.2	164.2	32.9	34.3	-1.4	11.2	10.4	0.8
6	Gorkha Birechowk	27.97	84.59	724	523.2	285.5	183.3	29.0	29.7	-0.7	9.6	9.1	0.5
7	Humde	28.64	84.09	3401	/	114*	/	13.9	13.8*	0.1	-7.3	-7.7*	0.4
8	Jomsom	28.78	83.73	2741	87.9	70.4	124.9	17.9	18.1	-0.2	-0.1	-1.2	1.1
9	Khairini Tar	28.03	84.09	515	609.1	461.5	132	30.8	32	-1.2	10.5	9.6	0.9
10	Khudi Bazar	28.28	84.36	838	501.7	418.2	120	27.1	29.5	-2.4	7.4	8.1*	-0.7
11	Kushma	28.22	83.68	900	342.5	275.8	124.2	28.9	30.6	-1.7	7.1	7.6	-0.5
12	Lete	28.63	83.61	2490	340.1	363.5	93.6	17.6	18.4*	-0.8	1.4	-0.1*	1.5
13	Lumle	28.30	83.82	1738	648.9	501	129.5	21.7	22	-0.3	6.3	5.8	0.5
14	Malepatan Pokhara	28.22	83.97	859	919.8	542.1	169.7	27.7	28.9	-1.2	7.5	7.4	0.1
15	Pokhara Airport	28.20	83.98	827	966.9	560.1	172.6	27.6	29.2	-1.6	9.5	8.4	1.1
16	Syangja	28.10	83.87	871	589.8	430.9	136.9	28.8	29.4	-0.6	8.1	7.3	0.8
17	Thakmarpha	28.74	83.68	2655	133.5	105.7	126.3	17.8	17.9	-0.1	-1.8	-1.5	-0.3
Lumbini Province													
1	Bhairahawa Agric	27.53	83.46	112	260.2	140.2	185.6	33.8	34.9	-1.1	10.4	9.9	0.5
2	Bhairahawa Airport	27.51	83.42	108	255.8	136.7	187.1	34.7	34.7	0.0	10.8	9.9	0.9
3	Bijuwara Tar	28.10	82.85	835	198.3	151.6	130.8	31.2	31.7*	-0.5	7.9	7.5*	0.4
4	Ghorai Dang	28.04	82.48	663	131.2	140.9	93.1	31.4	32	-0.6	8.8	7.2	1.6
5	Gulariya	28.21	81.35	126	156.5	94.7	165.2	34.2	34.3*	-0.1	7.6	9.1*	-1.5
6	Khajura Nepalganj	28.11	81.59	129	135.6	88.4	153.4	35.0	35.1	-0.1	9.5	8.8	0.7
7	Khanchikot	27.92	83.13	1801	173.9	179.2	97	22.9	22.5	0.4	7.2	6.6	0.6
8	Libang Gaun	28.31	82.63	1314	257.4	177.7	144.9	27.5	28.4*	-0.9	5.5	4.9*	0.6
9	Lumbini	27.47	83.28	95	332.2	109	304.8	33.7	35*	-1.3	10.2	9.6*	0.6
10	Nepalgunj Airport	28.10	81.67	165	128.9	95.4	135.1	34.7	35.3	-0.6	10.5	9.1	1.4
11	Nepalgunj Reg Off	28.05	81.62	141	132.0	90.4	146.1	35.3	34.9	0.4	9.9	10.5	-0.6
12	Parasi	27.52	83.66	112	237.4	164.4	144.40	33.2	34.9*	-1.7	10.2	9.6*	0.6
13	Semari	27.47	83.79	110	283.0	179.8	157.4	33.5	35.8	-2.3	10.2	9.2	1.0
14	Tamghas	28.06	83.24	1547	380.65	235.8	161.4	24	25	-1.1	6.4	5.5	0.93
15	Tansen	27.86	83.54	1183	256.22	160.8	159.3	27	28.6*	-1.8	9.7	7.7	2.04
16	Taulihawa	27.57	83.07	106	220.93	89.3	247.4	34	35.1	-1.3	11	10.1*	0.47



Government of Nepal
Ministry of Agriculture, Forest and Environment
Department of Hydrology and Meteorology
Climate Division (Climate Analysis Section)
 Babarmahal, Kathmandu

S.N	Station	Latitude	Longitude	Elevation	Precipitation			Temperature					
					Total (mm)	Normal	% of Normal	Maximum			Minimum		
								Average (°C)	Normal	DFN (°C)	Average (°C)	Normal	DFN (°C)
Karnali Province													
1	Chaurjhari Tar	28.65	82.21	863	206.75	113	183	31	32.5	-1	6.6	6.6	0.04
2	Dailekh	28.84	81.71	1394	230.14	161.4	143	26	28.7	-2.3	8.7	6.6	2.05
3	Dipal Gaun	29.26	82.22	2422	183.74	132	139	24	22.6	1.47	-4.4	-3.8	-0.62
4	Dunai	28.95	82.90	2098	125.46	38.9	323	/	22*	/	/	-0.2*	/
5	Gamadi Shree Nagar	29.55	82.15	2113	122.66	109.1	112	25	24.3*	0.34	3.5	3.3*	0.18
6	Jajarkot AWS	28.70	82.20	1240	155.46	124.7	125	29	29.1*	-0.2	6.2	7.1*	-0.93
7	Jumla	29.27	82.18	2363	146.51	143	103	23	21.9	1.16	-3.8	-4	0.2
8	Jumla Airport	29.27	82.19	2384	150.84	14.6*	132	22	21.9*	0.17	-4.7	-4.5*	-0.23
9	Manma	29.15	81.61	1729	306.55	223.8*	137	24	24.9*	-0.7	6.3	4.8*	1.47
10	Mehalkuna	28.42	81.84	464	195.55	128.3*	152	/	33.8*	/	8.4	7.6*	0.83
11	Musikot Rukum West	28.62	82.46	1412	260.74	214.3	122	27	27.1	0.18	7.3	5.6	1.7
12	Nagma	29.20	81.91	2017	149.53	172.5	86.7	22	22.9*	-0.6	0.9	0.4*	0.48
13	Pusma Camp	28.88	81.23	953	191.42	134.1	143	29	29.5	-0.8	7.6	8.8	-1.17
14	Rara	29.54	82.08	2989	153.5	169*	90.8	17	15.8*	1.23	-3.1	-3.8*	0.74
15	Salyan Bazar	28.38	82.14	1557	226.28	104	218	26	27.5	-1	7.6	7.3	0.34
16	Simikot	29.97	81.82	2993	99.32	137.1*	72.4	18	15.9*	1.77	-1.7	-4.5*	2.77
17	Surkhet Airport Birendra	28.59	81.64	720	192.95	136.5	141	32	32.1	0.07	6.9	6.5	0.39
18	Talcha	29.52	82.15	2750	171.3	157.3*	109	20	17.7*	1.96	0.7	*	/
Sudurpaschim Province													
1	Baitadi Gothalapani	29.56	80.41	1352	350.1	214.5	163.2	27	26.5*	0.83	5.6	4.7*	0.95
2	Bajura Martadi	29.46	81.48	1598	285.6	225.2	126.8	25	25.5*	-0.3	6.3	4.2*	2.07
3	Chainpur Bajhang ne	29.55	81.20	1405	407.4	330.6	123.2	26	26.9	-1	11	7.7	3.44
4	Chisapani Karnali	28.65	81.29	201	212.5	118.8	178.9	34	33.9	0.35	12	11.8	0.32
5	Dadeldhura	29.30	80.59	1879	259.8	178.4	145.7	24	23.7	0.36	5.8	4.7	1.09
6	Darchula New	29.84	80.55	945	249.0	254*	98.0	31	31.2*	-0.3	6.7	6.8*	-0.11
7	Dhangadhi Attariya	28.81	80.56	184	197.8	110.2	179.5	35	34.8	-0.1	10	8.6	1.68
8	Dipayal Doti	29.26	80.94	563	175.8	139.3	126.2	34	33.8	-0.2	6.2	6.3	-0.08
9	Godavari West	28.88	80.58	280	233.5	122	191.4	34	34.9	-0.5	11	11.3	-0.77
10	Mahendra Nagar	28.95	80.23	197	170.5	86.6	196.9	35	34.2	0.43	9.4	8.4	0.96
11	Mangalsen	29.14	81.25	1310	187.1	187.6	99.7	30	27.9*	1.94	6.3	5.7*	0.62
12	Patan new	29.47	80.55	1292	345.4	188.1*	183.6	28	27.4*	0.69	5.3	4.8*	0.48
13	Tikapur	28.54	81.12	149	177.1	111.5	158.8	35	35.2	-0.3	7.2	8.2	-1.05

Note:

- “mm” = millimeter; “temp” = temperature; “blank space” = Data Not Available; “NR” = No Precipitation.
- This summary is prepared based on the precipitation and temperature received at 126 meteorological stations during Pre-monsoon, 2026. Out of 126 stations, 104 stations have normal precipitation data, 65 stations have normal maximum and 65 stations have normal minimum temperature data. Normal precipitation/temperature is the average of the seasonal precipitation/temperature for the period of 1991-2020.
- Less than 90% of normal precipitation is considered below normal, 90 to 110% is considered as near normal, and more than 110% of normal precipitation is considered as above normal precipitation for the season.

Please report any errors or inaccuracies in this document to climateupdates.dhm@gmail.com or contact us by phone at **015319007**.